



The New Generation of Land Rollers from Rite Way



10 Reasons to Own a Rite Way Land Roller

- 1 Larger diameter drum**
The large diameter drum makes fewer revolutions, thereby allowing it to more efficiently press rocks into the ground without rolling the crop out ahead of it.
- 2 Requires less horsepower**
Because of the larger diameter drum, less horsepower per foot is required to do the job.
- 3 From transport mode to field mode in minutes**
Rite Way's new generation of *FORWARD™* unfolding land rollers means you can be off and rolling in just a few minutes when you get to your field.
- 4 Narrowest transport widths**
Rite Way's Land Rollers fold up to a mere 12 1/2', making them easy to transport on any road or highway.
- 5 Floating rollers for constant ground pressure**
Rollers float independently while maintaining constant ground pressure -- so it works effectively even as the terrain beneath it constantly changes.



THE MOST EFFICIENT AND VERSATILE LAND ROLLER IN THE INDUSTRY IS MOVING FORWARD™

The leaders in land roller technology have just made another step forward. Rite Way Land Rollers are now even easier to transport and use in tandem with other equipment with the unique and innovative *FORWARD™* unfolding system. All you need to do in order to unfold your land roller is to simply drive forward.



If you're one of the many progressive and innovative farmers who are diversifying their crops, you'll need new tools and new farming practices to go along with your new crops. And one of your most important pieces of equipment will be a land roller.

Rite Way's Land Rollers apply both weight and surface contact to prepare your land. The large diameter drum efficiently presses rocks into the ground and leaves a smooth surface. That means a smoother and faster ride when you use your sprayer, and a trouble-free harvest - no matter what crop you are growing.

You'll also see a greatly increased germination rate after using a Rite Way Land Roller. That's because it ensures every valuable seed you plant immediately has good contact with the soil. And every plant will germinate and ripen at the same time, virtually eliminating the problems associated with uneven maturation.

Rolling your crop residue in the fall will also make your job a lot easier come springtime. Even difficult-to-deal-with cornstalks break down during the winter after they have been rolled.



Rite Way Land Rollers apply both weight and surface contact to prepare your land.



Rolling cornstalks allows them to break down during the winter.



Each roller uses a large, 4-way heavy duty and flexible universal joint to allow each roller to float independently while maintaining constant ground pressure over changing terrain.



Go from transport mode to field mode and back again in minutes while moving forward. This unique system (patent-pending) allows you to use two or more pieces of equipment in tandem, and transport the equipment from field to field.



10 Reasons to Own a Rite Way Land Roller

- 6 FORWARD™ Unfolding allows equipment to be pulled in tandem**
Finally, it's practical to pull your air seeder, landroller and other equipment in tandem and still be able to transport them from field to field - because now all you need to do to unfold your roller is drive forward!
- 7 Better yields**
Rolling your land after seeding allows for better, and more even germination of your crop. Your crop will start growing more quickly and plants will ripen at the same time. That means better yields and fewer losses at harvest time!
- 8 Better trash management**
Finally, there's a better way to deal with hard-to-manage crop residues - even corn stalks. One trip over the harvested crop and corn stalks are open to the elements so they begin to break down. Come spring, your field can be prepared for your next crop.
- 9 The right size for your operation**
With sizes ranging from the 28' 3-plex roller to the 85' 7-plex roller, there's a size to fit your farm operation.

10 Leading technology paired with reliability
Rite Way is the leader in efficient, reliable land rollers. We believe in clean, simple and straight-forward designs. And we are continually working on innovative ways to improve on our products.

ULTRA NARROW TRANSPORT WIDTH OF 12 1/2'



New Generation Land Roller Specifications

Model	# of Segments	Drum diameter	Drum thickness	Working width	Transport width	Transport length	Weight*	Frame	Tires
F3-28	3	41" to 42"	.53" to .60"	28'	12 ½'	36'	16,280 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F3-32	3	41" to 42"	.53" to .60"	32'	12 ½'	38'	17,640 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F3-36	3	41" to 42"	.53" to .60"	36'	12 ½'	40'	19,000 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F3-42	3	41" to 42"	.53" to .60"	42'	12 ½'	42'	21,720 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F3-46	3	41" to 42"	.53" to .60"	48'	12 ½'	46'	23,080 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F3-48	3	41" to 42"	.53" to .60"	52'	12 ½'	48'	24,400 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F5-46	5	41" to 42"	.53" to .60"	46'	12 ½'	45'	22,400 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F5-50	5	41" to 42"	.53" to .60"	50'	12 ½'	47'	23,760 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F5-54	5	41" to 42"	.53" to .60"	54'	12 ½'	49'	25,120 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F5-58	5	41" to 42"	.53" to .60"	58'	12 ½'	51'	26,480 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F5-62	5	41" to 42"	.53" to .60"	62'	12 ½'	53'	27,840 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F5-68	5	41" to 42"	.53" to .60"	68'	12 ½'	55'	30,560 lbs.	6" x 4" x .25" wall	11L- 15-8 ply
F7-65	7	41" to 42"	.53" to .60"	65'	12 ½'	54'	28,860 lbs.	6" x 4" x .25" wall	12L- 15-12 ply
F7-69	7	41" to 42"	.53" to .60"	69'	12 ½'	56'	30,220 lbs.	6" x 4" x .25" wall	12L- 15-12 ply
F7-73	7	41" to 42"	.53" to .60"	73'	12 ½'	58'	31,580 lbs.	6" x 4" x .25" wall	12L- 15-12 ply
F7-77	7	41" to 42"	.53" to .60"	77'	12 ½'	60'	32,940 lbs.	6" x 4" x .25" wall	12L- 15-12 ply
F7-81	7	41" to 42"	.53" to .60"	81'	12 ½'	62'	34,300 lbs.	6" x 4" x .25" wall	12L- 15-12 ply
F7-85	7	41 to 42"	.53" to .60"	85'	12 ½'	64'	35,660 lbs.	6" x 4" x .25' wall	12L- 15-12 ply

All Rite Way Land Rollers come equipped with *FORWARD™* Unfolding System. Optional equipment: Acre Meter

*Weights are approximate



< Extra large universal joint



< Heavy duty bearings complete with replaceable shaft



> A bolted end cover plate allows access to the inside of the replaceable shaft. A tapered keyed hub centres the replaceable 2 7/16" shaft on 6" x 3" structural tube cross members.

Your local dealer:



Rite Way Mfg. Co. Ltd.

P.O. Box 328 Imperial, SK S0G 2J0 Canada
www.ritewaymfg.com info@ritewaymfg.com
 Ph: 306-963-2180 Toll Free: 1-800-352-8822

We are continuously improving our products. Design, specifications and material are subject to change without notice.