



Rock Removal Equipment

Rockpickers & Windrowers



Reasons to Own a Rite Way Rockpicker

1 Hydraulic Drive

Hydraulic drive, complete with cushion valve, lets you match the reel bat speed to the ground speed and to turn off the reel when a single large rock is being picked. It also allows you to clear a jammed rock by simply reversing the reel.

2 Shock protection on reel and forks

Protects the rock picker while removing extra large rocks.

3 Wide range of rake heights

This exclusive feature gives Rite Way rock pickers the unique ability to pick large rocks and load them into the hopper while using the rotating bats only for support.

4 Hydraulic angled hitch

Lets you go from transport to field mode quickly and easily.

5 Low angle rake

Separates the rocks from the dirt quickly and with minimal ground disturbance.



THE MOST POPULAR AND E EQUIPMENT IN

In 1972, Rite Way introduced the RR100 rock picker - the first with a fork type or as a rotary rock picker. Today, Rite Way

RR250ST



The RR250ST has a two-bat shock protected reel system and can remove rocks from 2" to 24" in diameter and up to 45" in length.

The variably-controlled reel speed system allows you to set the speed of the reel to match your picking needs.

The adjustable cylinder stop allows precise control of the picking depth.

The RR250ST now has a larger 1.75 cu yd hopper.



An electric solenoid lets you back up and dump with the flick of a switch from your tractor.

The RR250ST hopper now lifts higher, allowing more choices in where you dump your rocks.



RW8 Rock



EFFICIENT ROCK REMOVAL THE INDUSTRY

hydraulic reel drive. This innovation allowed the machine to operate is the leader in manufacturing rock removing equipment.

RR900ST



The RR900ST has a three-bat shock protected reel system and can remove rocks from 2" to 28" in diameter and up to 55" in length. Its ample, 60" picking width removes more rocks in fewer passes and its 2.6 cu yd capacity bucket lets you pick more rocks before dumping.



The RR900ST hopper lifts up to 60" for dumping.



RR850 & RW1200 Rock Windrowers



Rite Way rock windrowers deliver rocks to the windrow more efficiently with their three-row spiral design. They come in two sizes - the 110" RR850 and the 144" RR1200.

The RW850

Reasons to Own a Rite Way Rock Windrower

1 Affordable and efficient

An affordable way to speed up your rock picking. Handles rocks from 1 1/2" to 12" in diameter.

2 Seedbed preparation

Efficiently breaks up clumps and prepares the the soil for seeding.

3 Three-row spiral design

For improved speed and efficiency of delivering rocks to windrow.

4 Hard-surface teeth

Ensures long life of the equipment.

5 Hydraulic drive

Rite Way was the first in the industry to employ hydraulics in its rock removing equipment. Hydraulics control both the depth of the rake and the transport positions.

The RW1200



Rite Way Rockpicker / Windrower Specifications

Rockpickers	RR250ST	RR900ST
Drive	Variable Hydraulic Drive	Variable Hydraulic Drive
Reel	2 Bat	3 Bat
Reel Chain	#80	#80
Picking Width	50" / 127 cm	60" / 152 cm
Minimum Rock Diameter	2" / 5 cm	2" / 5 cm
Maximum Rock Diameter	24" / 61 cm x 45" / 114 cm	28" / 81 cm x 55" / 140 cm
Bucket Capacity	1.75 cu yd / 1.34 cu meter	2.6 cu yd / 2 cu meter
Reel & Bucket Control	Electric over Hydraulic	Electric over Hydraulic
Weight Capacity	3,600 lbs. / 1650 Kg	8,000 lbs. / 4500 Kg
Dumping Height	48" / 122 cm	60" / 152 cm
Tires	12.5L x 15	16.5L x 16.1
Hitch	Multi-Position (Standard) Hydraulic Swing (Optional)	Multi-Position (Standard) Hydraulic Swing (Optional)
Hydraulic Requirements	12 - 15 gal/min. @ 1200 - 1500 PSI 45 - 57 L/min @ 8270-10,340 kilopascal	12 - 15 gal/min. @ 1200 - 1500 PSI 45 - 57 L/min @ 8270-10,340 kilopascal
Rock Windrowers	RW850	RW1200
Working width	110" / 254 cm	144" / 373 cm
Height	32" / 81 cm	32" / 81 cm
Weight	810 lbs. / 368 kg.	1150 lb. / 520 kg
Drive	Hydraulic	Hydraulic
Transport Height	42" / 107 cm	42" / 107 cm
Transport Length	80" / 203 cm	107" / 381 cm
Transport Width	115" / 292 cm	142" / 360 cm



The small but mighty RR250ST can take on some of the biggest rocks in your field -- up to 24 inches in diameter and 45 inches long.

Your local dealer:



We are continuously improving our products. Design, specifications and material are subject to change without notice.

1001 Printed in Canada.

Rite Way Mfg. Co. Ltd.

P.O. Box 328 Imperial, SK S0G 2J0 Canada
www.ritewaymfg.com info@ritewaymfg.com
 Ph: 306-963-2180 Toll Free: 1-800-352-8822